



Your Partner In Lift Solutions.

Platform Lift Catalogue.



Platform Lift **Catalogue**





Index

01	▶ Armony	—	02
02	▶ Armony Lite	—	06
03	▶ Finishes	—	10
	3.1 Car models		
	3.2 Car Finishes		
	3.3 Operating Panel & Indicators		
	3.4 Structures		



RALOE





0.1

Armony

It is the most versatile home lift with a wide range of possibilities to decorate your lift car and loads up to 500kg.

► Applications

Residential buildings
Elimination of architectural barriers
Accessibility



Advantages

Maximum safety:

We have exhaustively studied its design to ensure the safety standard of a lift: Entrance detection system, door reopening to avoid hitting the passenger and car levelling.

Decorative versatility:

Wide range of decoration possibilities.

Single-phase:

Works on any single-phase 220 V socket or three phase power supply option.

Space optimization:

Uses of up to 80% of the shaft.

Emergency rescue:

Equipped with a rescue system that allows passengers to be evacuated in the event of power failure.





Technical Features

Rated Load (Kg)	180 – 500	
Rated speed (m/s)	0,15	
Power (KW)	From 2,2	
Machine Room Y/N	Yes / Power unit in Cabinet	
Car entrances	0 – 90° – 180° – 270°	
Max. Travel (m)	24	
Minimum Pit`s (mm)	Q ≤ 400 Kg	135
	Q > 400 Kg	150
Minimum Headroom (mm)	2.285 Without Lift Car door.	
Type of Doors	With or without automatic car doors Automatic and semi-automatic Landing doors	
Power supply	Single-Phase*	
Panoramic Lift	Yes	
Cabin surface	Up to 2m ²	

*Three-phase power supply also available



Optional:
With cabin door.



Multi-purpose single cabinet

We have a pre-assembled KIT, which consists in hydraulic equipment + cabinet + control panel, everything already assembled, pre-wired and tested in the factory. Facilitates easy commissioning (Plug and Play).



0.2 Armony Lite

Homelift Hydraulic Armony Lite is the hydraulic homelift with the best value for money in the market.

Car decoration:

OPTIMA and DINAMIC models.

Option:

With car door.



The most competitive option for a Homelift.

Robust and compact set, car frame + car.

Easy assembly from inside the car.





► **Armony Lite car models**



Dynamic



Optima



Technical Features

Rated Load (Kg)	180 – 385
Rated Speed (m/s)	0,15
Power (KW)	From 2,2
Machine Room Y/N	Yes, Power unit in Cabinet
Car entrances	0° – 90° – 180° – 270°
Max. Travel (m)	15
Minimum Pit (mm)	100
Huida Mínima (mm)	2.450
Type of door	No Cabin Door Automatic or semi-automatic on landing.
Power supply	Single Phase*
Car models	Dynamic / Optima
Panoramic	No

* Three-phase power supply also available





Your Partner **In Lift Solutions.**



101

Walls

Joint

Floor

Checks Stainless Steel



No joint between panels



Granite Naturel Warwick






L03

Walls


Joint

Floor

F6307 Burnt Strand



F2833 Sandstone




Laminate

Smooth panel



Royal Reef artificial stone



*M03 also available in Melamine



3.1

Walls

Joint


Floor

Car Walls Illumination

F7327 Popular Grey



F8830 Elemental Concrete



Vertical LED strips

*M04 also available in Melamine

Laminate

Platform Lift Catalogue



S01

Walls

Joint

Floor

Stainless Steel Skinplate

No joint between panels

Anti-slip rubber Black






CH01

Walls

Light Ivory RAL 1015



Painted Sheet

Joint

No joint between panels



Floor

Pink Porriño natural granite





Quartz

Walls


Terracotta Red RAL 8815



Back Painted glass


Joint

Smooth panel



Floor


Intense Black natural granite





Walls

Skinplates




White




Stainless Steel



Grey



Simil stainless steel



Cream

Painted Sheet




White RAL 9016



Beige RAL 1019



Black RAL 9005




Light Ivory RAL 1015



Metallic grey RAL 9006



Pearl Light Grey RAL 9022



Concrete Grey RAL 7023



Pastel purple RAL 4009

2 Tariff Type 2

* Any other RAL available under request


Stainless Steel



Brushed




Checks



Canvas



Leather



Linen



Polished

Available any other
finish from:





Walls

Back painted glass




Metallic grey RAL 9006




Light Brown RAL 1236



Green RAL 8615




Aluminium RAL 9007




White RAL 9003



Black Starlight RAL 0337



White Pearl RAL 1013 (matt or gloss)



Bronze



Matt Light RAL Brown 1236



Terracotta Red RAL 8815



Pistachio Green RAL 1164

 Tariff Type 2

 Tariff Type 3


Back painted glass (under request)



RAL 1586



RAL 8017



SILVER



RAL 5002



RAL 2001



RAL 9005




Walls

Laminates



F2274 White France




F1139 Cherry Tree



F7884 Blue China



F7837 Graphite



F2273 Seringa




F1062 Smoked Oak



F2478 Bermuda



F8833 Elemental Graphite




F2833 Sandstone




F5873 SET Ventura Oak




F1997 Ocean




F8832 Elemental Corten




F8841 White Ash



F7927 Folkestone




F8849 Natural Teak




F0193 Xenon




F0190 Finn Beech




F8830 Elemental Concrete




F8848 Blackened Legno



F7923 Surf



F3091 Crystal White



F6307 Burnt Strand

3 Tariff Type 3


* Other formicas available at:
<https://www.formica.com/es-es>

Colors shown may vary from the actual color depending on the computer monitor settings or the printing conditions.




Walls


Melamina




Cream




Cervine Pine




Grey




Beech




Chocolat




Cherry tree



Habana Linen



Dark Oak



Blue




Not in compliance with the standard EN 81.20

Floors

Anti-slip rubber 4,5 Kg / m²




Beige




Oak



Grey granite




Blue



Sand



Grey




Grey concrete




Black


Artificial Stone 49 kg / m²




Grey Expo



White North




Concrete Spa




Black Starlight



Royal Reef



Ethereal Glow



Merope



Rougui

2 Tariff type 2

3 Tariff type 3



Natural granite 56 kg / m²



Grey Pearl



Pink Porriño



White Crystal



White Trevi



Grey Quintana




Intense Black




Black South Africa



Andromeda



Dark Blue Labrador



Guyana



Warwick Rubi

 Tariff Type 2

 Tariff Type 3

 Tariff Type 4

Metallic floor



Aluminum checkerboard
6 Kg/m²




Stainless steel 12 Kg/m²




Steel durbar plate 36 Kg/m²

Ceilings




LED spots




Curved LED spots




LED Strip




Mondrian



Arte




Marco



Mosaic



Tinted glass



LED Bars




All ceilings can be selected in white, black and stainless steel finishes.



RALOE

Indirect lighting




Skirting illumination



Car walls illumination




COP Illumination




Ceiling illumination


Mirrors



1/2 Height





Slim mirror panel



Full mirror

Handrail

STANDARD EN 81-20



1. Rectangular stainless steel
2. Rectangular skinplate
3. Straight tubular polished St. Steel
4. Curved tubular satin St. Steel
5. Curved tubular polished St. Steel
6. Curved tubular painted black

Automatic door



Primed
Stainless steel




Big vision panel



Folding Bus door big vision panel



Full glass door panels



► Control panel in door frame.

Available for Carlos Silva,
Elec Megom, Sprinte and
New Lift.

Semi-automatic doors




Standard Vision panel



Big vision panel

Door finishes

STANDARD




RAL 7032

► Epoxy

OTHERS



RAL 9016



RAL 1015



RAL 9006



RAL 7004



RAL 1018



RAL 1019



RAL 6021



RAL 1034



RAL 3020



RAL 5012



RAL 8023



RAL 7010



RAL 7012



RAL 3004



RAL 6005



RAL 5011



RAL 9005

► Smooth Stainless steel

STANDARD



AISI 441 2B/BA



AISI 304 2B



AISI 316 2B



AISI 441 2B



AISI 304 2B



AISI 304 2B



AISI 316 2B



AISI 316 4N

DECORATIVE




AISI 304 BA



AISI 304 BA



AISI 316 BA



AISI 304 BA



AISI 304 BA



AISI 304 BA



AISI 304 BA

► Patterned Stainless steel



AISI 441 BA ⁽¹⁾



AISI 304 BA



AISI 304 BA



AISI 316 BA ⁽¹⁾



AISI 441 BA ⁽¹⁾



AISI 304 BA




AISI 304 BA



AISI 304 BA



AISI 441 BA ⁽¹⁾



AISI 304 BA



AISI 304 BA



AISI 316 BA ⁽¹⁾

Available any other
finish from:



Car Operating panels



Standard
Height 1960 mm
Standard only for lifts. For Home Lift,
supplied without display.



Handrail Type (EN81.70)



Landing operating panels




With engraving on steel plate



With transparent window plate



Surface mounted



With Display

Push buttons



Bas 120



Bas 120 Black



RT42



US91-EN



US90 Jumbo



US95 Jumbo




US95-EN

Indicators



SURFACE mounted

Indicators




TFT 2,8"
CARLOS SILVA



7"
CARLOS SILVA



TFT 5,6"
CARLOS SILVA



10"
CARLOS SILVA



3.4 Structures

The structures for Passenger Lift and Home Lift give us flexibility, by eliminating architectural barriers and bringing solutions for the total accessibility.

STRUCTURES

► Colors



RAL 9002



RAL 3004



RAL 1015



RAL 6005



RAL 7032



RAL 5003



RAL 7001



RAL 9005



RAL 8003



OXIRON

Advantages

The assembly time is reduced by over 60% compared to an installation with traditional construction system, with a clean, fast, and quiet product.


Absolutely respectful with the environment, both in the assembly process and industrial development.

Ease of assembly, makes this product highly simple to operate complying with the higher safety standards.



Characteristics

Multi-purpose technical solution for every building, they can be adapted to the different constructive requirements. TC series are designed to be integrated in the existing building and its environment.





Ceiling (metal sheet or glass)



Canopy over door (metal sheet or glass)



Handrail



Ventilation

Types of enclosure



Transparent glass



Frosted glass



Total glass



Blind sheet



Mesh sheet



RALOE



The image shows a modern, multi-story office building with a white facade and a large glass section. A yellow rectangular overlay on the left side contains the RALOE logo and two circular icons with upward and downward arrows.

RALOE



Headquarters and offices

HEADQUARTERS /VALENCIA BRANCH

C/ Coeters, 27

46980 Paterna

+34 961 345 350

comercial@raloe.com

RALOE DEUTSCHLAND GmbH

Carl-Zeiss-Ring 14

85737 Ismaning

+49 (0) 89 306 44 765-0

MADRID BRANCH

C/ Arboleda 18, Nave L

28031 Madrid

+34 913 013 720

RALOE UK LTD

Office F08, The Nucleus

Brunel Way, Dartford

Kent DA1 5GA

+44 (0) 759464 9122

BARCELONA BRANCH

C/ Montserrat Roig, 56

08908 L'Hospitalet

+34 932 643 910

FRANCE BRANCH

Rue Alessandro Volta- 1er étage

Zone Industrielle de Marcerolles

26500 BOURG LES VALENCE

+33 615 587 392

RALOE EXPORT

+34 961 345 379

export@raloe.com

A photograph of three business professionals (two women and one man) standing in a glass elevator. They are all looking at a tablet held by one of the women. The man is holding a briefcase. The scene is dimly lit, with light coming from the elevator's interior.

Your Partner In Lift Solutions.

