



0.1

Armony

It is the most versatile home lift with a wide range of possibilities to decorate your lift car and loads up to 500kg.

► Applications

Residential buildings
Elimination of architectural barriers
Accessibility

Advantages

Maximum safety:

We have exhaustively studied its design to ensure the safety standard of a lift: Entrance detection system, door reopening to avoid hitting the passenger and car levelling.

Decorative versatility:

Wide range of decoration possibilities.

Single-phase:

Works on any single-phase 220 V socket or three phase power supply option.

Space optimization:

Uses of up to 80% of the shaft.

Emergency rescue:

Equipped with a rescue system that allows passengers to be evacuated in the event of power failure.





Technical Features

Rated Load (Kg)	180 - 500	
Rated speed (m/s)	0,15	
Power (KW)	From 2,2	
Machine Room Y/N	Yes / Power unit in Cabinet	
Car entrances	0 - 90° - 180° - 270°	
Max. Travel (m)	24	
Minimum Pit`s (mm)	Q ≤ 400 Kg	135
	Q > 400 Kg	150
Minimum Headroom (mm)	2.285 Without Lift Car door.	
Type of Doors	With or without automatic car doors Automatic and semi-automatic Landing doors	
Power supply	Single-Phase*	
Panoramic Lift	Yes	
Cabin surface	Up to 2m ²	

*Three-phase power supply also available



Optional:
With cabin door.



Multi-purpose single cabinet

We have a pre-assembled KIT, which consists in hydraulic equipment + cabinet + control panel, everything already assembled, pre-wired and tested in the factory. Facilitates easy commissioning (Plug and Play).